(Abstract No# (163)

Status and revision strategy of ISO-11221

Mengu Cho

Kyushu Institute of Technology, Kitakyushu, Japan

***Abstract*—ISO-11221, "Space systems — Space solar panels — Spacecraft charging induced electrostatic discharge test methods" was published in August 1st, 2011. According to ISO rule, a systematic review is required in five years, which means August 1st, 2016. ISO-11221 is the result of efforts made by the spacecraft charging community throughout the world. At 12th SCTC, 2012, a short discussion was done regarding ISO-11221. The participants were asked to give feedback to ISO-11221. Generally, the response was positive and little need of heavy revision was identified. At this SCTC, the need of revision is also discussed among the audience.**

Keywords—International Standard, Solar Panel, ESD, Testing

I. INTRODUCTION

ISO-11221, "Space systems — Space solar panels — Spacecraft charging induced electrostatic discharge test methods" was published in August 1st, 2011. The standard is the result of international collaborative efforts to improve the reliability of satellite solar panel and power system that suffered many anomalies since introduction of high voltage (100 [V]) bus system in late 1990s. The fact that methods of ESD testing were different among countries was found at 7th SCTC, 2001. Making an ISO standard was first mentioned at 8th SCTC, 2003. At 9th SCTC 2005, a resolution to establish an ISO standard was passed unanimously. A research project to establish the ISO standard was funded by the Japanese government. Round-robin experiments, mutual visits of laboratories and workshops were held from 2005 to 2009.

Thanks to these efforts, understanding of ESD phenomena improved dramatically as reflected by numerous papers on ESD testing published through the last decade. Table 1 lists the on-orbit anomalies associated with solar panel or power system since 1995. It is clear that satellites launched after 2005 have not suffered the anomalies as much as earlier satellites. This fact tells that the effort by the spacecraft charging community was effective improving the reliability of satellite power system.

Several reports in 12th SCTC indicated that Japan, US, China and India used the standard (Ref.[1-4]). Therefore, the standard is really a useable standard. At 12th SCTC, the audience was asked whether they were satisfied with the current version and the response was all in favor.

In the first version, several points were left for future revision, such as how far the flashover current flow, flashover simulator, solar cell degradation, testing of solar panel backside. Research efforts are underway and the latest result will be presented at this 13th SCTC. There is a plan of an on-orbit experiment using a nanosatellite, which will be also presented at this 13th SCTC. Fortunately, the result of the experiment will be available at 14th SCTC.

II. REVISION PROCESS

According to the ISO rule, every standard must by reviewed regularly. The systematic review of ISO-11221 takes place in 5 years after publication, i.e., August 2016. Around August 2016, a ballot sheet and a comment sheet will be circulated to P-member countries of ISO/TC20/SC14. There are three options to choose, "Confirm", "Revise" and "Withdrawal". The confirm option means to keep the current version of the standard as it is for the next five years.

The voting result will be notified to SC14/WG1 and the project lead. According to ISO/IEC directives[5], the criteria for confirmation is the following,

- the standard has been adopted with or without change or is used in at least five countries (when this criteria is not met, the standard should be withdrawn); and
- a simple majority of the P members of the committee voting propose confirmation.

If the voting is not obvious about "Confirm" nor "Withdrawal", SC14/WG1 will decide on the revision process. The revision can start either from CD or DIS. Either way, the revision must be finished within three years. During the revision process, the current version will stay effective.

Next SCTC is planned in Europe in 2016 if we follow the current two years cycle. I will ask the community how each country intends to vote and if the intention is "Revise", what points need to be revised. Through that discussion, we can clarify the revision points and at which stage we should start depending on the degree of revision expected.

Reference

[1] Kenneth H. Wright, Todd A. Schneider, Jason A. Vaughn, Bao Hoang, Victor V. Funderburk, Frankie Wong, and George Gardiner, "Age Induced Effects on ESD Characteristics of Solar Array Coupons After Combined Space Environmental Exposures", 12th SCTC, 2012

(Abstract No# (163)

[2] K. Koga, T. Okumura, M. Takahashi and H. Matsumoto, K. Toyoda and M. Cho, "Overview on Spacecraft Charging Study in Japan", 12th SCTC, 2012

[3] Suryakant B. Gupta, Keena Kalaria, Naresh Vaghela, S. Mukherjee Suresh E. Puthanveettil, M. Sankaran and Ranganath S. Ekkundi, "An overview of spacecraft charging research in India: Spacecraft Plasma Interaction eXperiments – SPIX", 12th SCTC, 2012

[4] Li WANG, Weiquan FENG, Kai LI, Lanjun YANG, "Overview of Spacecraft Charging Technology Studies in China", 12th SCTC, 2012

[5] http://isotc.iso.org/livelink/livelink?func=ll&objId=4230452&objAction=browse&sort=subtype

TABLE I. ANOMALIES OF SATELLITE SOLAR PANEL OR POWER SYSTEM

Satellite name	Manufacture	Launch date	Anomaly date	Description
Telstar 4	Lockheed Martin	1995.9.24	2003/9/19	Short circuit of power bus, Total loss
Echostar II	Lockheed Martin	1996.9.10	2008 July	Power system, Total loss
IS-804	Lockheed Martin	1997,12,22	2005/1/14	Power system, Total loss
Sirius 2	Aerospatial	1997.11.12	1998/9/1	Decrease of generated power
Tempo-2	Space Systems/Loral	1997.3.8	1997/4/11	Decrease of generated power by 15%
Thaicom 3	Alcatel	1997.4.16	2003/2/6	Short-circuit of solar array driver system
PAS-6	Space Systems/Loral	1997.8.8	1997/8/30	Loss of generation power
Eurobird 4	Astrium	1997.9.2	2006 Oct.	Solar array circuit, partial loss of power
PAS-7	Space Systems/Loral	1998.9.16	2001/9/6	Sudden decrease of 25% power
AMC-4	Lockheed Martin	1999.11.13	2008 Aug.	Solar array circuit, partial loss of power
Glaaxy XI	Boeing	1999.12.22	2001 Sept.	Decrease of solar array output
Galaxy 26	Space Systems/Loral	1999.2.15	2008 Jan.	Power system, partial loss of power
Arabsat 3A	Alcatel	1999.2.26	2001/12/7	Short-circuit of solar array driver system, total loss
Echostar V	Space Systems/Loral	1999.9.23	2002 Jul.	Solar array drive system
Galaxy 27	Space Systems/Loral	1999.9.25	2004/11/28	Power system, 50% power loss
Launched after 2000				
Thuraya	Boeing	2000.10.21	2001 Sept.	Decrease of solar array output
AMC-6	Lockheed Martin	2000.10.21	2008 Aug.	Solar array circuit, partial loss of power
PAS 1R	Boeing	2000.11.16	2001 Sept.	Decrease of solar array output
Anik F1	Boeing	2000.11.21	2001 Sept.	Decrease of solar array output
Echostar VI	Space Systems/Loral	2000.7.14	2002 Aug.	Short-circuit of solar array circuit
XM-2	Boeing	2001.3.18	2001 Sept.	Decrease of solar array output
XM-1	Boeing	2001.5.8	2001 Sept.	Decrease of solar array output
Eutelsat W5	Thales Alenia Space	2002.11.20	2008 June	Short-circuit of solar array driver system, 50% power loss
Midori II	Mitsubishi Electric Corp.	2002.12.4	2003/10/24	Sudden loss of 80% power, total loss
Nimiq 2	Lockheed Martin	2002.12.29	2003/2/20	Decrease of power
IGS Radar 1	Mitsubishi Electric Corp.	2003.3.28	2007 March	Power system, Total loss
AMC-16	Lockheed Martin	2004.12.17	2010 March	Solar array circuit, partial loss of power
Launched after 2005				
IGS 4A	Mitsubishi Electric Corp.	2007.2.24	2010 Aug.	Power system, Total loss
INSAT 4B	ISRO/Antrix	2007.3.11	2010 July	Solar panel, 50% power loss
NigComSat 1	CAST	2007.5.13	2008 April	Solar panel, Total loss
Echostar XI	Space Systems/Loral	2008.7.16	2012 Spring	Solar array circuit, partial loss of power
Echostart XIV	Space Systems/Loral	2010.3.20	2011 Fall	Solar array circuit, partial loss of power

Status and revision strategy of ISO-11221

Mengu Cho
Laboratory of Spacecraft Environment Interaction Engineering
Kyushu Institute of Technology
Kitakyushu, Japan

June 23, 2014

13th Spacecraft Charging Technology Conference, Pasadena, USA

ISO-11221

- ISO-11221, “Space systems - Space solar panels - Spacecraft charging induced electrostatic discharge test methods”
- Published on August 1st, 2011
- Result of international efforts since 2005 (9th SCTC)
- ISO rule
  - Systematic review every 5 years

Effect of ISO-11221

La SEINE

- Due to advances of knowledge and testing, power system failure is decreasing
- But there are still failures occurring

Satellite power system failure events



SPACEFLIGHT NOW The leading source for online space news

HOME ■ CURRENT MISSION ■ PLUS ■ NEWS ARCHIVE ■ LAUNCH SCHEDULE ■ ASTRONOMY NOW ■ STORE ■ SEARCH

Follow Spaceflight Now on twitter

Build-up of static electricity turned satellite into zombie

BY STEPHEN CLARK
SPACEFLIGHT NOW
Posted: January 14, 2011

SHARE

In a remarkable reversal of fortune, Intelsat is on the verge of returning a crippled communications satellite to service over North America, company officials said Thursday.

The Galaxy 15 satellite stopped responding to commands and sending telemetry after an anomaly last April 5, beginning a slow drift east along the equator from its original position 22,300 miles over the Pacific Ocean. Its powerful C-band communications payload continued broadcasting television signals, threatening to interfere with other spacecraft as Galaxy 15 moved uncontrollably nearby through geosynchronous orbit.

Galaxy 15 under construction before launch in 2005. Credit: Orbital Sciences Corp.

Are we happy?

- At 12th SCTC (2012)
  - Presentation by Japan, US, China and India clearly show ISO-11221 is used
  - Everybody was happy with the standard
- In the first version, several points were left for future revision
  - How far the flashover current flow
  - Flashover simulator
  - Solar cell degradation
  - Testing of solar panel backside
  - others

Revision procedure

- Around August 2016
  - A ballot sheet and a comment sheet will be circulated to P-member countries of ISO/TC20/SC14
  - Choose one from
    - ***Confirm***: keep the current version for the next five years
    - ***Revise***
    - ***Withdrawal***: abolish the standard
  - Questions
    - Is the standard used in your country?
    - Is the standard adopted to your domestic standard (with or without change)?

Criteria

- The criteria for confirmation
  - The standard has been adopted with or without change or is used in at least five countries (when this criteria is not met, the standard should be withdrawn); and
  - a simple majority of the P members of the committee voting propose confirmation.
- If the voting is not obvious about “Confirm” nor “Withdrawal”
  - SC14/WG1 will decide on the revision process. The revision can start either from CD or DIS.
  - The revision must be finished within three years.
  - During the revision process, the current version will stay effective.

Discussion points

- This SCTC
  - Are you using this standard or adopting in some way (with modification)?
  - Which point we should look at for revision, if any
- Next SCTC (2016, possibly)
  - I will ask the community how each country intends to vote.
  - If the intention is “Revise”, I will ask what points need to be revised.
  - To clarify the revision points and at which stage we should start